



- NOTES:
- A.) RUST PROTECTION: TRUE TEMPER STANDARD LIGHT OIL.
 - B.) SEAM SOUNDNESS TEST: TRUE TEMPER STANDARD METHOD.
 - C.) END CUT SQUARENESS: BOTH END CUTS TO BE SQUARE TO THE CENTERLINE AXIS WITHIN .020.
 - D.) AVERAGE DIAMETER=[(MAXIMUM DIAMETER READING)+(MINIMUM DIAMETER READING)]/2.
 - E.) OVALITY: (MAXIMUM DIAMETER READING)-(MINIMUM DIAMETER READING) MUST BE LESS THAN OR EQUAL TO .010.

RC2ST SEAT TUBE

PROJECT #296
 MAT'L. ~ 4130 AQ. STEEL
 HARDNESS ~ RB 90-105
 STRESS RELIEVED
 POLISHED
 [MM] METRIC DIMENSION
 NOMINAL WEIGHT ~ .656 LBS. [297 GRAMS]

	D.W.G. NO.	DET. NO.	NO. REQD.	DESCRIPTION	MATERIAL
				TRUE TEMPER SPORTS - AMORY PLANT	
TITLE RC2ST SEAT TUBE					
	DRAWN BY R.A.W.S.	7/1/90	SCALE NONE	REPLACES REPLACED BY	NUMBER
	CHECKED				
	APPROVED				
	PK 8/4/93				
	ADDED MM & WEIGHT				
	CHANGE DATA				
LET					
					CHG. LET.
					A
					505-90-79-1
					1
					SIZE