

NOTES:

A.) RUST PROTECTION: TRUE TEMPER STANDARD LIGHT OIL.

B.) SEAM SOUNDNESS TEST: TRUE TEMPER STANDARD METHOD.

C.) END CUT SQUARENESS: BOTH END CUTS TO BE SQUARE TO THE CENTERLINE AXIS WITHIN .020.

D.) AVERAGE DIAMETER=[(MAXIMUM DIAMETER READING)+(MINIMUM DIAMTER READING)]/2

E.) OVALITY: (MAXIMUM DIAMETER READING)−(MINIMUM DIAMETER READING) MUST BE LESS THAN OR EQUAL TO .010.

RC2TT UP TOP TUBE

PROJECT #949429 COST CODE 949435
MAT'L. ~ 4130 AQ. STEEL
HARDNESS ~ RB 90−105
STRESS RELIEVED
[MM] METRIC DIMENSION
NOMINAL WEIGHT ~ .6 LBS. [272.1 GRAMS]

LET	CHANGE DATA	BY	DATE

DWG. NO.	DET. NO	NO. REQD.	DESCRIPTION	MAT'L.

TRUE TEMPER SPORTS − AMORY PLANT

TITLE RC2TT UP TOP TUBE CC:949435

DRAWN BY	J.B.	6/3/94	SCALE NONE			NUMBER	CHG. LET.
CHECKED			REPLACES	REPLACED BY	SIZE		
APPROVED	P.K.	6/6/94			1	505−94−55−1	